

# M/T Jana Desgagnés



## Transport Desgagnés inc.

21 Marché-Champlain Street  
 Quebec (Quebec) Canada G1K 8Z8  
 Tel: (418) 692-1000 • Fax: (418) 692-6044  
 E-mail: info@desgagnés.com

Commercial Operator: Petro-Nav Inc., Montréal  
 Tel: (514) 843-8800  
 Fax: (514) 843-9195  
 Built: MTW Shipyard  
 Germany, 1993  
 Official No.: 814370  
 IMO No.: 9046564  
 Call Sign: VCDR  
 Port of Registry: Quebec, Canada  
 Flag: Canadian  
 Type: Oil & Chemical Tanker  
 Class: GL+100A5 E3 Chemical tanker type II

### MAIN PARTICULARS

GRT: 6,262  
 NRT: 3,154  
 Deadweight: 10,511  
 LOA: 123.71 m 405.87 feet  
 LBP: 118.16 m 387.66 feet  
 Breadth: 17.70 m 58.07 feet  
 Moulded Depth: 10.60 m 34.77 feet  
 Summer Draught SW: 8.36 m 27.43 feet

### COMPLIANCE WITH REGULATIONS

Worldwide trading: Solas, Marpol, ISM, ISPS  
 USCG for foreign flag, Suez, Panama;  
 St. Lawrence Seaway

TANK CAPACITY	1		2		3		4		5		6		SUB-TOTAL		SLOP TANKS		TOTAL	
	Port	Starboard	Port	Starboard	Port	Starboard	Port	Starboard	Port	Starboard	Port	Starboard	M <sup>3</sup>	US BBLs	Port	Starboard	M <sup>3</sup>	US BBLs
100% (in m <sup>3</sup> )	693	693	914	914	980	980	980	980	980	980	860	860	10,814	68,018	137	185	11,136	70,043
98% (in m <sup>3</sup> )	679	679	896	896	960	960	960	960	960	960	843	843	10,596	66,647	134	181	10,911	68,628

- ◆ Double hull, SBT
- ◆ Seven cargo segregations
- ◆ Thermal oil heat exchanger for cargo and coils for slop tanks

- ◆ Tank coating: epoxy
- ◆ Closed loading system

- ◆ Free float Heinrich ullage system for cargo tanks
- ◆ Loading program including stability calculation
- ◆ 95% & 98% level alarms for cargo tanks

### CONVERSION FACTORS

1 m = 3.2808 feet  
 1 m<sup>3</sup> = 6.28976 US bbls

### MACHINERY

1 Man B&W, 6L35MC, 5,032BHP (3,700 kW) & 1 shaft generator.  
 3 generators Deutz KHD TBD 604BV8, 595 kW/h each  
 Bow thruster STT 330LK, 410 kW

### SPEED AND CONSUMPTION

Average speed: 12.5 knots  
 Consumption at sea: 13.5 mt/day fuel  
 1.0 mt/day diesel  
 Consumption in port: 3.0 mt/day diesel

### TANK CAPACITY

Diesel: 115.0 m<sup>3</sup>  
 Fuel: 325.0 m<sup>3</sup>  
 Ballast: 3,295.0 m<sup>3</sup>  
 Fresh water: 130.0 m<sup>3</sup>

### DISCHARGE CAPACITY

Maximum rate: 1,200 m<sup>3</sup>/h 7,548 US bbls/h  
 Rate per pump: 220 m<sup>3</sup>/h 1,384 US bbls/h

